

The Impact of the Learning Curve in Laparoscopic Surgery

Rehana Jabeen Raja

25, Acacia Drive, Runda, Nairobi, Kenya

Abstract: TP Wright originally introduced the concept of a learning curve in aircraft manufacturing in 1936.¹ He described a basic theory for costing the repetitive production of airplane assemblies. The term was introduced to medicine in the 1980s after the advent of minimal access surgery. It also caught the attention of the public and the legal profession when a surgeon told a public enquiry in Britain that a high death rate was inevitable while surgeons were on a learning curve.² Recently it has been labeled as a dangerous curve³ with a morbidity, mortality and unproven outcomes. Yet there is no standardization of what the term means. In an endeavor to help laparoscopic surgeons towards evidence based practices this commentary will define and describe the learning curve, its drawing followed by a discussion of the factors affecting it, statistical evaluation, effect on randomized controlled trials and clinical implications for both practice and training, the limitations and pitfalls, ethical dilemmas and some thoughts to pave the way ahead.

DEFINITION AND DESCRIPTION

For the Wright learning curve, the underlying hypothesis is that the direct man-hours necessary to complete a unit of production will decrease by a constant percentage each time the production quantity is doubled. In manufacturing, the learning curve applies to the time and cost of production. Can a surgeons learning curve be described on similar lines? A simple definition would be : the time taken and/or the number of procedures an average surgeon needs to be able to perform a procedure independently with a reasonable outcome.¹ But then who is an average surgeon ? Another definition may be that a learning curve is a graphic representation of the relationship between experience with a new procedure or technique and an outcome variable such as operation time, complication rate, hospital stay or mortality.⁴ A learning curve may also be operationally defined as an improvement in performance over time. Although learning theorists often disagree about what learning is, they agree that whatever the process is, its effects are clearly cumulative and may therefore be plotted as a curve. By cumulative it is meant that somehow the effects of experience carry over to aid later performance. This property is fundamental to the construction of learning curves. The improvement tends to be most rapid at first and then tails off. Hence there are three main features of a learning curve. First, the initial or starting

point defines where the performance of an individual surgeon begins. Secondly, the rate of learning measures how quickly the surgeon will reach a certain level of performance and thirdly the asymptote or expert level measures where the surgeons performance stabilizes.⁵ This has implications for the laparoscopic surgeon—it suggests that practice always help improve performance but the most dramatic improvement happens first. Also with sufficient practice surgeons can achieve comparable levels of performance.

THE DRAWING OF LEARNING CURVES

There are a variety of methods of constructing learning curves. They all assume that successive exposures in a learning series may be plotted on the x -axis, response characteristics on y -axis and the data points distributed in the xy plane may be legitimately connected by a curve. This is the Cartesian Method.⁶ More recently the Cumulative Sum Method has been applied for the construction of these curves for basic skills in anesthetic procedures—the method consists of relatively simple calculations that can be easily performed on an electronic spreadsheet. Statistical inferences can be made from observed successes and failures. The method also provides both numerical and graphical representation of the learning process.⁷

The multimode learning curve is useful because several factors can be put into one graph.⁸ The earlier used method of the performance analysis with its on the spot appraisals at certain time intervals has been replaced by continuous assessment. For continuous data like operation time the Moving average method is useful.⁹

FACTORS AFFECTING LEARNING CURVES

A complex hierarchy of factors are involved here.⁵ At the bottom factors like guidelines, protocols and standards for clinical governance agreed upon by the medical fraternity are vital. Next the Institutional policies and cost effectiveness are contributory. Needless to say the surgical team, the case mix and public awareness are relevant. The final level in the hierarchy that can influence individual learning is the characteristics of the surgeon such as attitude, capacity for acquiring new skills and previous experience.¹⁰

Amongst the latter that is the characteristics of the surgeon the learning curve may depend on the manual dexterity of the individual surgeon and the background knowledge of surgical anatomy. The type of training the surgeon has received is also important¹¹ as training on inanimate trainers and animal tissue has been shown to facilitate the process of learning. The slope of the curve depends on the nature of the procedure and frequency of procedures performed in specific time period. Many studies suggest that complication rates are inversely proportional to the volume of the surgical workload.¹² However rapidity of learning is not significantly related to the surgeons age, size of practice or hospital setting.¹³ Another important factor that affects the learning curve is the supporting surgical team. A recent observational study¹⁴ to investigate the incidence of technical equipment problems during laparoscopic procedures reported that in 87% of procedures one or more incidents with technical equipment or instruments occurred. Hence improvement and standardization of equipment combined with incorporation of check lists to be used before surgery has been recommended.

STATISTICAL EVALUATION OF LEARNING CURVES

Various statistical methods have been reported in the assessment of the learning curve.¹⁵ Commonly data are split into arbitrary groups and the means compared by chi-squared test or ANOVA. Some studies had data displayed graphically with no statistical analysis. Others used univariate analysis of experience versus outcome. Some studies used multivariate analysis techniques such as logistic regression and multiple regression to adjust for confounding factors. A systematic review¹⁶ concluded that the statistical methods used for assessing learning curves have been crude and the reporting of studies poor. Recognizing that better methods may be developed in other non clinical fields where learning curves are present (psychology and manufacturing) a systematic search was made of the non clinical literature¹⁷ to identify novel statistical methods for modeling learning curves. A number of techniques were identified including generalized estimating equations and multilevel models. The main recommendation was that given the hierarchical nature of the learning curve data and the need to adjust for covariant, hierarchical statistical models should be used.

EFFECT OF LEARNING CURVE ON RANDOMIZED CONTROLLED TRIALS

The learning curve can cause difficulties in the interpretation of RCTs by distorting comparisons. The usual approaches to designing trials of new surgical techniques has been either to provide intensive training and supervision or require participating surgeons to perform a fixed number of procedures prior to participation in a trial. Surgeons have been reluctant to

randomize until they are proficient in a technique but then once convinced of its worth argue that it is too late to randomize. However the best way to address the problem is to have a statistical description of the learning curve effect within a trial and various methods can then be used. Example Bayesian hierarchical model.⁵

IMPLICATIONS FOR PRACTICE AND TRAINING

In the current era of evidence based medicine enthusiasm for laparoscopic surgery is rapidly gaining momentum. There is an immense amount of literature showing advantages of minimal access surgery and acceptance by the public. The learning curve for many procedures has been documented.^{18,19,20} As far as training is concerned, the introduction of laparoscopic techniques in surgery led to many unnecessary complications. This led to the development of skills laboratories involving use of box trainers with either innate or animal tissues but lacks objective assessment of skill acquisition.²¹ Virtual reality simulators have the ability to teach psychomotor skills. However it is a training tool and needs to be thoughtfully introduced into the surgical training curriculum.²² A recent prospective randomized controlled trial²³ showed that virtual simulator combined with inanimate box training leads to better laparoscopic skill acquisition. An interesting finding reported is that in skills training every task should be repeated at least 30 to 35 times for maximum benefit.²⁴ The distribution of training over several days has also been shown to be superior to training in one day.²⁵ Other factors enhancing training are fellowship programmer,²⁶ or playing video games.²⁷ One can also obtain feedback for improvement of training program. In one such study the deficiency factors²⁸ identified were lack of knowledge, lack of synchronized movement of the non dominant hand and easy physical fatigue. Incorporation of intensive, well planned invitro training into the curriculum were made and the programme reassessed.

WHAT ARE THE LIMITATIONS OR PITFALLS ?

“Steep” learning curves are usually used to describe procedures that are difficult to learn – however this is a misnomer as it implies that large gains in proficiency are achieved over a small number of cases. Instead the curve for a procedure that requires a lot of cases to reach proficiency should be described as “flattened”.²⁹

As long as no valid scoring system concerning the complexity of a surgical intervention exists, the learning curve cannot be used as benchmarks to compare different surgeons or clinics as legitimate instruments to rank surgeons or different hospitals.

Limitations of long learning curves, facilities for training, mistakes of pioneers, surgical techniques not being described in books are some of the limitations described.³⁰

There are other limitations due to the nature of laparoscopic surgery like the lack of 3D vision and of tactile sensations,³¹ difficult hand eye coordination and long instruments.

ETHICAL DILEMMAS

Many dilemmas exist³² and many questions will always be with us—who bears the burden of the learning curve? Are the patients aware of the risks? Many reports validate the impression that a patient operated upon during the learning curve takes greater risks and incurs more adverse circumstances than the patient operated upon later. The issue of how informed the informed consent should be needs to be addressed. Is the integrity and conscience of a surgeon measurable? Should the forces of marketing be curtailed or regulated?

THE WAY FORWARD

Laparoscopic surgery is here to stay and success in it is determined by how quickly and effectively we learn. However certain measures may be taken to lessen some of the adverse effects of the learning curve and others to help laparoscopic surgeons ease into the specialist. Setting up³² of minimal standards and credentialing is a must. Current guidelines in many countries are vague and general. The evidence for training is well documented. The message for individual surgeons is to identify their deficiencies, and chart a way forward for their personal graph of progress. Evaluation and monitoring in a systematic scientific manner will benefit the surgeon with a satisfactory learning curve that will ensure that patient welfare is not compromised.

REFERENCES

- Subramonian K, Muir G. The learning curve in surgery: what is it, how do we measure it and can we influence it? *BJU International* 2004;93(9):1173-4.
- Clare Dyer. Bristol case surgeon claimed to have been on "learning curve" *BMJ* 1999;319:1456.
- Leon Morgenstenn. Warning! Dangerous curve head: the Learning Curve *Surgical Innovation* 2005;101-103.
- Michel LA. Epistology of evidence-based medicine. *Surg Endosc* 2007;21:2,146.
- Cook JA, Ramsay CR, Fayers P. Statistical evaluation of learning curve effect in surgical trials. *Clinical Trials* 2004;1:421-7.
- Learning as a cumulative function. <http://trincoll.edu/depts/ecopsyc/shaw/curves> access on 22.4.07.
- Getulio Rodrigues de Oliveira Filho. The construction of learning curves for basic skills in anaesthetic procedures: an application for the Cumulative Sum Method. *Anaesth Analg* 2002;95:411-6.
- Buchmann P, Dincler S. Learning curve calculation and value in laparoscopic surgery *Ther Umsch* 2005;62(2):69-75.
- Dincler S, Koller MT, Steurer J, Bachmann LM, Christen D, Buchmann P. Multidimensional analysis of learning curves in laparoscopic sigmoid resection: eight year results. *Dis Colon Rectum* 2003;46(10):1371-8.
- Cushieri A. Whither minimal access surgery: Tribulations and Expectations *Am J Surg* 1995;169:9-19.
- Traxer O, Gettmann MT, Wapper CA, et al. The impact of intense laparoscopic skills training on the operation performance of urology residents. *J Urol* 2003;166:1658-61.
- Hu Jc, Gold KF, Pashos CL, Mehtass, Litwin MS. Role of surgeon volume in radical prostatectomy outcomes. *J Clin Oncol* 2003;21:401-5.
- Gibbs VC, Auerbach AD. Learning curves for new procedures. [Http://www.ahrq.gov/clinic/ptsafety/chap19.htm](http://www.ahrq.gov/clinic/ptsafety/chap19.htm) accessed on 24.4.07.
- Verdaasdonk EGG, Stassen LPS, Elst Mvander, Karsten TM, Dankelman J. Problems with technical equipment during laparoscopic surgery. *Surg Endosc* 2007;21:275-9.
- Ramsay CR, Grant AM, Wallace SA, Garthwaite PH, Monk AF, Russell IT. Assessment of the learning curve in health technologies. A systemic review. *Int J Technol Assess Health Care* 2000;16:1095-108.
- Ramsay CR, Grant AM, Wallace SA, Garthwaite PH, Monk AF, Russell IT. Statistical assessment of the learning curves of health technologies. *Health Technol Assess* 2001;5:1-79.
- Ramsay CR, Grant AM, Wallace SA, Garthwaite PH, Monk AF, Russell IT. Lessons from the non clinical literature. *Int J Technol Assess Health Care* 2002;18:1-10.
- Agachan F, Joo JS, Sher M, Weiss EG, Nogueras JJ, Wexner SD. Laparoscopic colorectal surgery. Do we get faster? *Surg Endosc* 1997;11(4):331-5.
- Schlachta CM, Mamazza J, Seshadri PA, Cadeddu M, Gregoire R, Poulin EC. Defining a learning curve for laparoscopic colorectal resection. *Dis Colon Rectum* 2001;44(2):217-22.
- Perino A, Cucinella G, Venezia R, Castelli A, Cittadini E. Total Laparoscopic hysterectomy versus total abdominal hysterectomy: an assessment of the learning curve in a prospective randomized study. *Human Rep* 1999;14:12 2996-99.
- Aggarwal R, Moorthy K, Darzi A. Laparoscopic skills training and assessment. *BJS* 2004;91:2 pg 1549-58.
- Gallager AG, Ritter EM, et al. Virtual reality simulation for the operating room: proficiency based training as a paradigm shift in surgical skills training. *Annals of Surgery* 2005;241(2):364-72.
- Mada AK, Frantzides CT. Prospective randomized controlled trial of laparoscopic trainers for basic laparoscopic skills acquisition. *Surg Endosc* 2007;21:2,209-13.
- Scott DJ, Young WN, Tesfay ST, et al. Laparoscopic skills training. *Am J Surg* 2001;182(2):137-42.
- Verdaasdonk EGG, Stassen LPS, et al. Influence of different training schedules on the learning of psychomotor skills for endoscopic surgery. *Surg Endosc* 2007;21:214-9.

26. Oliack D, Owens M, Schmidt HJ. Impact of fellowship training on the learning curve for laparoscopic gastric bypass. *Obes Surg* 2004;14(2):197-200.
27. Rosser JC, et al. The impact of video games on training surgeons in the 21st century. *Arch Surg* 2007;142:181-6.
28. Gupta R. Feedback from operative performance to improve training programme of Laparoscopic Radical Prostatectomy. *J of Endourology* 2004;18:9,836-9.
29. Guillonneau BD. The learning curve as a measure of experience. *Nature Clinical Practice Urology* 2005;2:309.
30. Canis M, Mage G, Wattiez A, Pouly JL, Bruhat MA. The ovarian endometrioma; Why is it so poorly managed ? *Human Repr* 2003;18;1,5-9.
31. Agha R, Muir G. Does Laparoscopic surgery spell the end of open surgery ? *J R Soc Med* 2003;96:544-6.
32. Iservon KV, Chiasson PM. The ethics of applying new medical technologies. *Semin Laparosc Surg* 2000;9(4):222-9.

Submitting a paper/video to World Journal of Laparoscopic Surgery *(Laparoscopic Surgery Review Journal with DVD)*

INSTRUCTION TO AUTHORS

World Journal of Laparoscopic Surgery is a laparoscopic surgery review journal with video assisted teaching. It publishes invited review articles on basic and clinical sciences in Laparoscopic and videos related to laparoscopic diagnostics or surgery. Original research material can also be integrated into a review article. Articles should be submitted only by individuals with experience and expertise in the topic that they are reviewing. Videos can be submitted by any Laparoscopic specialist and may be incorporated into the journal DVD after peer review.

Before preparing a manuscript, the author should submit a detailed outline of the proposed article to the Editor-in-Chief to assure that the material is appropriate and that no similar article is in preparation. Please allow 2 to 4 weeks for a response.

Please do not hesitate to contact the Editorial Office if you have any questions.

THE REVIEW

Your review can be up to 2500 words in length and should highlight and discuss all interesting developments in the subject, as reflected in the recent literature. In addition to describing recent trends, you can give a synopsis of your own opinions of the topics discussed and suggest a preferred practice pattern.

MANUSCRIPT FORMAT

The review must be double-spaced and a maximum of 2500 words in length (excluding references).

Review structure

The review must contain the following:

Cover page: Stating the title, authors and their affiliations, and full contact details for the corresponding author (including phone number and e-mail address).

Introduction: This should be a paragraph of 50-100 words outlining the scope of the review and mentioning any earlier work which will place the review in context.

Text of review: Includes headings and titled paragraphs to subdivide the text. Ensure that at least one sentence divides each heading (i.e. do not have a subheading directly beneath a full heading).

Conclusion: A paragraph of 50-100 words drawing together the implications of the review topic and, if appropriate, giving suggestions for future research.

Acknowledgments: Of professional colleagues and funding bodies only.

Reference section: References should be in numerical sequence (Vancouver style), include the first three authors, or all authors if there are six or fewer.

Figure titles and legends: Must be provided for all figures.

Figures and tables: Must be cited in text.

Figures and tables must be

Original whenever possible

Clearly marked as "original" or "previously published" upon submission

Accompanied by full source details when not original

Figures should not be embedded within the text but should be submitted as separate files. Figure legends should be included in the main body of the text following the references.

References cited in figures or tables must be numbered in sequence, according to the position of the first text citation of the figure or table.

Illustrations

Original ideas for explanatory diagrams are welcomed. Electronic artwork should be submitted in JPEG, TIFF, EPS or PPT formats. Please state clearly whether figures/tables have been published previously.

Color figures: There is a no charge to authors if you wish your figures to be produced in color.

DISCLOSURES

Authors should include all relevant information regarding Conflict of Interest and Sponsorship Statements.

SUBMITTING YOUR PAPER

Manuscripts should be submitted by e-mail at md@laparoscopyhospital.com

If you have any query or suggestion, please do not hesitate to contact:

Editor-in Chief

RK Mishra, MMAS, MRCS Senior Consultant Laparoscopic Surgeon, Director, Laparoscopy Hospital, New Delhi, India

e-mail: md@laparoscopyhospital.com

The manuscript file should include the text, references, structured abstract, keywords, figure legends and author address. Figures and tables should be submitted as separate files.

References cited in figures or tables must be numbered in sequence, according to the position of the first text citation of the figure or table.

Unpublished data, submitted manuscripts and personal communications must be referenced in the text only as follows:

Personal communication: (Author A, personal communication).

Submitted paper: (Author A, Author B, unpublished data).

You are responsible for the accuracy of the references and for obtaining permission to use personal communications.

REFERENCE FORMAT

In the text, reference citations should be typed in superscript.

Please list the first three authors for each reference and then et al, unless there are six authors or fewer, in which case all authors should be listed. Provide full reference details (author(s), title, journal, year, volume, pages).

Journal names should be abbreviated as in the Index Medicus.

References should be structured as follows:

Journal:

Author A, Author B, Author C. Title of the paper. Journal Abbreviation 2000; 4:25-27.

With annotation describing importance of reference, if bulleted

Book:

Author A, Author B, Author C. Title of the book section. In: Book name. Edition number. Edited by Editor A, Editor B, Editor C (editors). Location of Publisher: Publisher; 2000. pp. 25-27.

Copyright transfer form with article title and signature of all authors needs to be mailed or faxed during submission of the article.

SUBMISSION OF VIDEOS

The journal accepts videos demonstrating surgical techniques and newer diagnostic techniques. Videos for the CD/DVD should be edited with an audio commentary or a text overlay and submitted in the following formats: .mpg/.wmv/.dat The CD/DVD with video may be directly sent to the journal editorial office (address given below).

Video should be accompanied by

Cover page: Stating the title, authors and their affiliations, and full contact details for the corresponding author (including phone number and e-mail address).

A small summary of the procedure being shown in about 150 words should be included.

Video should be accompanied by a moving legend describing the procedure with or without an audio in English language.

ADDRESS OF THE JOURNAL OFFICE FOR SUBMISSION OF VCD OR DVD VIDEOS:

Jaypee Brothers Medical Publishers (P) Ltd., 23/23B EMCA House, Ansari Road, Daryaganj, New Delhi - 110002, India

Phones: +91-11-23272143, +91-11-23272703, +91-11-23282021, +91-11-23245672

Rel: 32558559 Fax: +91-11-23276490, +91-11-23245683

e-mail: jaypee@jaypeebrothers.com

APPLICATION FOR MEMBERSHIP OF WORLD ASSOCIATION OF LAPAROSCOPIC SURGEONS



WALS

International Organization for Promotion of Laparoscopic Surgery among Surgeons and Gynecologists

1. APPLICANT INFORMATION

Please fill this form in Block Letters.

First Name: _____

Middle Name: _____

Last Name: _____

e-mail: _____

Date of Birth: _____

Place of Birth: _____

Which address below should WALS use as your primary contact address?

Professional



Residential



Professional address

Institution: _____

Department: _____

Mailing address: _____

City: _____

State or Province: _____

Postal Code: _____

Country: _____

Phone: _____

Residential address

Residential address 1: _____

Residential address 2: _____

City: _____

State or Province: _____

Postal code: _____

Country: _____

Phone: _____

Fax: _____

2. EDUCATION

Institute Degree and date awarded

Graduation: _____

Postgraduation: _____

MAS training: _____

3. MEDICAL LICENSURE

Licensed to practice

medicine in which country:

Registration

number

Has your medical license ever been suspended or revoked in any state?

Yes
 No

Have your privileges ever been suspended or changed?

Yes
 No

4. TRAINING

Was laparoscopy included in your residency or fellowship training?

Did you receive the training from a course or program? Please indicate and specify location and date.

Yes

Course and Program Instructor: _____

5. SIGNATURE

I authorize the World Association of Laparoscopic Surgeons to obtain information from societies, hospital staffs, members, and any other source regarding this application and my qualifications for membership, which information will be kept confidential by the Society.

Please send the completed application form to any of the nearest office of

WORLD ASSOCIATION OF LAPAROSCOPIC SURGEONS:

Mailing Address

UNITED STATES OF AMERICA

2874 West Lakeshore
Dr Tallahassee
Florida 32312, United State
e-mail: usa@wals.org.uk
Alternative e-mail:
Laparoscopy2001@yahoo.com

EUROPE

39 Brush Field Way
Knaphill
Woking
Post Code: GU21 2TQ
e-mail: uk@wals.org.uk

INDIA

Laparoscopy Hospital
8/10 Tilak Nagar, New Delhi, India
Tel: +91(0)11- 25155202, 42138116
e-mail: india@wals.org.uk
Alternative e-mail:contact@laparoscopyhospital.com
Tel: +91(0)11- 25155202, 42138116

IRAN

Haftom Tir Medical Center
Tehran, Iran
Tel: ++9821-841 3375
Fax: ++9821-841 3378
e-mail:apazouki@yahoo.com/pazouki@iums.ac.ir

AFRICA

Gulu Independent Hospital
Airfield Road, PO Box 23
Gulu Northern Uganda
Tel: +256-47132279
Fax: +256-41348334
e-mail: guluindp@aol.com

KINGDOM OF SAUDI ARABIA

Dept of General, Laparoscopy and Endocrine surgery
King Fahad Hospital Medina KSA
Mailing Address:
PO Box; 5147 Medina Munawarah, KSA
e-mail: fiazmfazili@yahoo.com